

Notice of Allowability	Application No.	Applicant(s)	
	10/573,284	NICOLAI ET AL.	
	Examiner Robert J. Hoffberg	Art Unit 2835	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to 7/26/07.
2. The allowed claim(s) is/are 1,3-8,11-17 and 20.
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of
 Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application
6. Interview Summary (PTO-413),
Paper No./Mail Date _____
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

REASONS FOR ALLOWANCE

1. The claims 1, 3-8, 11-17 and 20 are allowable over the prior art of record for at least the reason that the prior art fails to teach or suggest a structure as in claim 1, comprising a wherein on a side facing the switchgear cabinet, the partial receiving chambers are closed by a cover, the cover forms the air inlet and the at least one venting opening, and a sealing element arranged on an outside of the cover between the air inlet and the venting opening prevents a short circuit of the air. The aforementioned limitations in combination with all remaining limitations of the respective claims are believed to render said independent claims 1 and all claims dependent therefrom patentable over art of record.
2. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
3. None of the cited references, either taken alone or in combination is believed to render the present invention unpatentable as claimed. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert J. Hoffberg whose telephone number is (571) 272-2761. The examiner can normally be reached on 8:00 AM - 5:00 PM Mon - Thurs.

Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Koltuniak et al. (US 3,396,780) disclose a switchgear cabinet with

Art Unit: 2835

a lateral surface having an air inlet and a vent opening, and a cooling device having a heat exchanger, wherein the cooling device is installed in an area of a lateral surface of the switchgear cabinet adjacent to the lateral surface, but fail to disclose a receiving chamber divided into two more partial receiving chambers and a sealing element.

Kozlowski et al. (US 5,747,734) disclose a modular switchgear cabinet, but lacks the claimed structure of the invention.

5. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jayprakash N. Gandhi can be reached on (571) 272-3740. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

RJH 8/15/07


JN Gandhi
8/15/07

JAYPRAKASH GANDHI
SUPERVISORY PATENT EXAMINER